

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office DEC 17 1999

Returned to applicant for correction _____

Corrected application filed _____

Map filed DEC 21 1999 under 65731

The applicant **E-T-T Enterprises, L.L.C.**, hereby makes application for permission to change the **point of Diversion, manner of use and place of use** of a portion of water heretofore appropriated under **Permit 19536; Certificate 5994**.

1. The source of water is **underground**
2. The amount of water to be changed **0.079 cfs and 31 afa**
3. The water to be used for **commercial and domestic**
4. The water heretofore permitted for **Irrigation and domestic**
5. The water is to be diverted at the following point **SE ¼ SE ¼ Section 12, Township 21 South, Range 53 East, MDB&M, Nye County, Nevada, from which the Southeast corner of said Section 12 bears south 29° 20' 58" East, a distance of 550.28 feet.**
6. The existing permitted point of diversion is located within **Lot III (NE ¼ SE ¼) Section 12, Township 21 South, Range 53 East, MDB&M, Nye County, Nevada, or at a point from which the E ¼ corner of said Section 12 bears North 29° 14' East, 228.30 feet.**
7. Proposed place of use **portion of SE ¼ SE ¼ Section 12, township 21 South, Range 53 East, MDB&M, Nye County, Nevada, as set forth on accompanying map.**
8. Existing place of use **portion of Lot IV (SE ¼ SE ¼) Section 12, Township 21 South, Range 53 East, MDB&M, Nye County, Nevada, 6.20 Acres within SE ¼ Se ¼ Section 12, Township 21 South, Range 53 East, MDB&M, Nye County, Nevada to be removed from irrigation.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **well, pump and appurtenances**
12. Estimated cost of works **\$100,000.00**
13. Estimated time required to construct works **3 years, pump house and water tank are existing**
14. Estimated time required to complete the application of water to beneficial use **5 years**

15. Remarks: For use with Lake and various water features at Casino operation.

THOMAS DRIGGS, Agent
By s/Thomas Driggs
JAMES, DRIGGS, WALCH, SANTORO, KEARNEY,
JOHNSON & THOMPSON
3773 Howard Hughes Parkway -- Suite 290N
Las Vegas, Nevada 89109

Compared my/cmf hf/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use, and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 19536, Certificate 5994 is issued subject to the terms and conditions imposed in said Permit 19536, Certificate 5994 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

The total combined duty of water under Permits 65086, 65088, 65731, 65732, and 65733 shall not exceed 131.0 acre-feet annually.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.079 cubic feet per second, **but not to exceed 31.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

July 20, 2002

Proof of completion of work shall be filed before:

August 20, 2002

Water must be placed to beneficial use on or before:

July 20, 2005

Proof of the application of water to beneficial use shall be filed on or before:

August 20, 2005

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 20th day of, July A.D. 2000

Hugh Ricci, P.E.
State Engineer
by Hugh Ricci, P.E., Deputy State Engineer

Completion of work filed SEP 23 2002

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____



100